



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/604,801	08/18/2003	Manoharprasad K. Rao	202-0628(FGT1848)	1800
28549	7590	10/14/2004	EXAMINER	
KEVIN G. MIERZWA ARTZ & ARTZ, P.C. 28333 TELEGRAPH ROAD, SUITE 250 SOUTHFIELD, MI 48034			NGUYEN, HUNG T	
			ART UNIT	PAPER NUMBER
			2636	

DATE MAILED: 10/14/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

# Office Action Summary

Application No.

10/604,801

Applicant(s)

RAO ET AL.

Examiner

Hung T. Nguyen

Art Unit

2636

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

## Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☒ Responsive to communication(s) filed on 18 August 2003.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-20 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

## Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

## Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date 8/18/2003.
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_.

## DETAILED ACTION

### *Claim Rejections - 35 USC § 103*

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 1-3 & 5-20 rejected under 35 U.S.C. 103(a) as being unpatentable over Cho (U.S. 5,646,613) in view of Stopczynski (U.S. 6,519,519).

Regarding claim 1, Cho discloses a collision system [ figs.1-6, 13, col.3, lines 21-46, col.4, line 48-61 and col.7, lines 4-28 ] comprising:

- radars (12) for detecting a collision with objects such as pedestrian (50), dog (52), ball (54), tree (58) vehicle, wall or pole (56) as preventing the damage to the vehicle and the objects as activating external airbags (14) in the front (10A) & around of the vehicle [ figs.1-6, 13, col.4, line 48 to col.5, line 20 and col.7, lines 4-28 ];
- a controller in a form of CPU (18) communicates with the radars (12) as object classification for detecting (12) the objects such as pedestrian (50), dog (52), ball (54), tree (58) , vehicle, wall or pole (56) as preventing the damage to the vehicle and the objects as activating external airbags (14) in the front (10A) & around of the vehicle [ figs.3-4, col.4, line 48 to col.5, line 20 and col.7, lines 4-28 ].

The reference of Cho does not mention a countermeasure component is used in the collision system as claimed by the applicant.

However, The Cho does teach the controller in a form of CPU (18) communicates with the radars (12) as object classification for detecting (12) the objects such as pedestrian (50), dog (52), ball (54), tree (58), vehicle, wall or pole (56) as preventing the damage to the vehicle and the objects as activating external airbags (14) in the front (10A) & around of the vehicle at rate of 1 to 1,000,000,000 samples per second is processed by a computer to determined the time of an imminent collision [ figs.3-4, col.3, lines 21-46, col.4, line 48 to col.5, line 20 and col.7, lines 4-28 ].

Furthermore, Stopczynski teaches a countermeasure device (26) is used in the automobile vehicle (12) as measuring and activating the airbag system [ figs.1-3, col.6, lines 1-13 and col.7, lines 48-59 ].

Therefore, it would have been obvious to one having ordinary skill in the art to employ the teaching of Stopczynski in the system of Cho to determine the accurate signal and deployment the external airbag based on type and orientation of the target object.

Regarding claims 2-3, Cho discloses the radars (12) is communicating with the controller (18) / CPU for detecting a collision with objects as to recognize a pedestrian (50), dog (52), ball (54), tree (58) vehicle, wall or pole (56) includes their speed & distance signal as preventing the damage to the vehicle and the objects as activating external airbags (14) in the front (10A) & around of the vehicle [ figs.1-6, 13, col.4, line 48 to col.5, line 20 and col.7, lines 4-28 ].

Art Unit: 2636

Regarding claims 5-6 & 7-9, Cho discloses the radars (12) is communicating with the controller (18) / CPU for detecting a collision with objects as to recognize a pedestrian (50), dog (52), ball (54), tree (58) vehicle, wall or pole (56) includes their speed & distance signal as preventing the damage to the vehicle and the objects as activating external airbags (14) in the front (10A) & around of the vehicle [ fig.13, col.7, lines 4-28 ].

Regarding claims 10-12, Cho discloses the radars (12) is communicating with the controller (18) / CPU for detecting a collision with objects as to recognize a pedestrian (50), dog (52), ball (54), tree (58) vehicle, wall or pole (56) includes their speed & distance signal as preventing the damage to the vehicle and the objects as activating external airbags (14) in the front (10A) & around of the vehicle [ fig.13, col.7, lines 4-28 ].

Regarding claim 13, Cho discloses a method of collision [ figs.1-6, 13, col.3, lines 21-46, col.4, line 48-61 and col.7, lines 4-28 ] comprising:

- radars (12) for detecting a collision with objects such as pedestrian (50), dog (52), ball (54), tree (58) vehicle, wall or pole (56) as preventing the damage to the vehicle and the objects as activating external airbags (14) in the front (10A) & around of the vehicle [ figs.1-6, 13, col.4, line 48 to col.5, line 20 and col.7, lines 4-28 ];
- a controller in a form of CPU (18) communicates with the radars (12) as object classification for detecting (12) the objects such as pedestrian (50), dog (52), ball (54), tree (58) , vehicle, wall or pole (56) as preventing the damage to the vehicle and the objects as activating external airbags (14) in the front (10A) & around of the vehicle [ figs.3-4, col.4, line 48 to col.5, line 20 and col.7, lines 4-28 ].

The reference of Cho does not mention a countermeasure component is used in the collision system as claimed by the applicant.

However, The Cho does teach the controller in a form of CPU (18) communicates with the radars (12) as object classification for detecting (12) the objects such as pedestrian (50), dog (52), ball (54), tree (58), vehicle, wall or pole (56) as preventing the damage to the vehicle and the objects as activating external airbags (14) in the front (10A) & around of the vehicle at rate of 1 to 1,000,000,000 samples per second is processed by a computer to determined the time of an imminent collision [ figs.3-4, col.3, lines 21-46, col.4, line 48 to col.5, line 20 and col.7, lines 4-28 ].

Furthermore, Stopczynski teaches a countermeasure device (26) is used in the automobile vehicle (12) as measuring and activating the airbag system [ figs.1-3, col.6, lines 1-13 and col.7, lines 48-59 ].

Therefore, it would have been obvious to one having ordinary skill in the art to employ the teaching of Stopczynski in the system of Cho to determine the accurate signal and deployment the external airbag based on type and orientation of the target object.

Regarding claims 14-18, Cho discloses the radars (12) is communicating with the controller (18) / CPU for detecting a collision with objects as to recognize a pedestrian (50), dog (52), ball (54), tree (58) vehicle, wall or pole (56) includes their speed & distance signal as preventing the damage to the vehicle and the objects as activating external airbags (14) in the front (10A) & around of the vehicle [ fig.13, col.7, lines 4-28 ].

Art Unit: 2636

Regarding claims 19-20, Cho discloses a method of collision [ figs.1-6, 13, col.3, lines 21-46, col.4, line 48-61 and col.7, lines 4-28 ] comprising:

- radars (12) for detecting a collision with **objects such as pedestrian (50), dog (52), ball (54), tree (58) vehicle, wall or pole (56)** as preventing the damage to the vehicle and the objects as activating external airbags (14) in the front (10A) & around of the vehicle [ figs.1-6, 13, col.4, line 48 to col.5, line 20 and col.7, lines 4-28 ];
- a controller in a form of CPU (18) communicates with the radars (12) as **object classification for detecting (12) the objects such as pedestrian (50), dog (52), ball (54), tree (58) , vehicle, wall or pole (56)** as preventing the damage to the vehicle and the objects as activating external airbags (14) in the front (10A) & around of the vehicle [ figs.3-4, col.4, line 48 to col.5, line 20 and col.7, lines 4-28 ].

The reference of Cho does not mention a countermeasure component and the rate of the airbags are used in the collision system as claimed by the applicant.

However, The Cho does teach the controller in a form of CPU (18) communicates with the radars (12) as object classification for detecting (12) the objects such as **pedestrian (50), dog (52), ball (54), tree (58)**, vehicle, wall or pole (56) as preventing the damage to the vehicle and the objects as activating external airbags (14) in the front (10A) & around of the vehicle at rate of 1 to 1,000,000,000 samples per second is processed by a computer to determined the time of an imminent collision [ figs.3-4, col.3, lines 21-46, col.4, line 48 to col.5, line 20 and col.7, lines 4-28 ].

Furthermore, Stopczynski teaches a countermeasure device (26) is used in the automobile vehicle (12) as measuring and activating the airbag system [ figs.1-3, col.6, lines 1-13 and col.7, lines 48-59 ].

Therefore, it would have been obvious to one having ordinary skill in the art to utilize the teaching of Stopczynski in the system of Cho to determine the accurate signal and deployment the external airbag **based on type and orientation of the target object as small animal or vehicle or human being and etc.**

3. Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over Cho (U.S.5,646,613) in view of Stopczynski (U.S. 6,519,519) in view of Strumolo (U.S. 6,687,577).

Regarding claim 4, The combination of Cho & Stopczynski is still missing objection sizes as claimed by the applicant.

Stumolo teaches a classifying system (10) for a vehicle which may detect a plurality of the objects (16,18,20,22) such as pole, pedestrian, vehicle, wall includes height and width of the objects [ figs.1-3,7, col.2, lines 10-17, line 59 to col.3, line 13col.5, lines 56-67 ].

Therefore, it would have been obvious to one having ordinary skill in the art to have the teaching of Stopczynski & Stumolo includes the object sizes feature in the system of Cho for providing more accurately signal to control system as detecting the real size of the object.

### Conclusion

4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

- Bullinger et al. (U.S. 6,031,484) Release device for passenger restraint system in a motor vehicle.
- Breed (U.S. 6,749,218) external deployed airbag system.

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hung T. Nguyen whose telephone number is (571) 272-2982.

The examiner can normally be reached on Monday to Friday from 8:00am to 5:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hofsass, Jeffery can be reached on (571) 272-2981. The fax phone number for this Group is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is (703) 305-4700.

A handwritten signature in black ink, appearing to read 'Hung T. Nguyen', with a stylized, cursive script.

Examiner: Hung T. Nguyen

Date: Oct. 13, 2004